



DESIGN

RADIATORS

NOGAI VERITICAL DOUBLE ROW

The strength of steel turned into elegance.

You will have many alternative choices, both horizontally and vertically, according to your technical, aesthetic and functional needs.


Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.



| Technical Specifications | |
|---------------------------------|---|
| Model Name | : NOGAI Vertical Double Row |
| Material | : Cataphoresis coating, long-lasting electrostatic |
| Test Bar & Guarantee | : 4 BAR & 10 Year |
| Height | : From 400 mm to 2600 mm |
| Length | : From 144 mm to 2586 mm (If Height ≥ 1000, 144 mm to 884 mm) |
| Wall to Axe Distance | : 64 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : Anthracite (Standart) and all RAL Codes can be apply |

| NOGAI VERTICAL | SECTION QTY | HEIGHT (mm) | LENGTH (mm) | DEPTH (mm) | WEIGHT (kg) | WATER CONTENT (L) | CONNECTION DIAMETER | HEAT OUTPUT (Watt) | | |
|------------------|-------------|-------------|-------------|------------|-------------|-------------------|---------------------|--------------------|------------|------------|
| | | | | | | | | 90/70/20°C | 75/65/20°C | 55/45/20°C |
| NOGAI V 400-588 | 8 | 400 | 588 | 40 | 11,7 | 4,3 | 1/2" | 547 | 432 | 221 |
| NOGAI V 500-588 | 8 | 500 | 588 | | 676 | 533 | | 273 | | |
| NOGAI V 600-588 | 8 | 600 | 588 | | 803 | 631 | | 322 | | |
| NOGAI V 700-588 | 8 | 700 | 588 | | 926 | 728 | | 371 | | |
| NOGAI V 800-588 | 8 | 800 | 588 | | 1047 | 823 | | 418 | | |
| NOGAI V 900-588 | 8 | 900 | 588 | | 1166 | 915 | | 464 | | |
| NOGAI V 1000-588 | 8 | 1000 | 588 | | 1282 | 1005 | | 508 | | |
| NOGAI V 1100-588 | 8 | 1100 | 588 | | 1396 | 1094 | | 552 | | |
| NOGAI V 1200-588 | 8 | 1200 | 588 | | 1508 | 1180 | | 594 | | |
| NOGAI V 1300-588 | 8 | 1300 | 588 | | 1616 | 1265 | | 636 | | |
| NOGAI V 1400-588 | 8 | 1400 | 588 | | 1723 | 1348 | | 677 | | |
| NOGAI V 1500-588 | 8 | 1500 | 588 | | 1827 | 1428 | | 717 | | |
| NOGAI V 1600-588 | 8 | 1600 | 588 | | 1929 | 1507 | | 755 | | |
| NOGAI V 1700-588 | 8 | 1700 | 588 | | 2029 | 1585 | | 793 | | |
| NOGAI V 1800-588 | 8 | 1800 | 588 | | 2127 | 1660 | | 830 | | |
| NOGAI V 1900-588 | 8 | 1900 | 588 | | 2220 | 1734 | | 869 | | |
| NOGAI V 2000-588 | 8 | 2000 | 588 | | 2310 | 1807 | | 907 | | |
| NOGAI V 2100-588 | 8 | 2100 | 588 | | 2399 | 1877 | | 944 | | |
| NOGAI V 2200-588 | 8 | 2200 | 588 | | 2485 | 1946 | | 981 | | |
| NOGAI V 2300-588 | 8 | 2300 | 588 | | 2569 | 2014 | | 1018 | | |
| NOGAI V 2400-588 | 8 | 2400 | 588 | 2651 | 2079 | 1053 | | | | |
| NOGAI V 2500-588 | 8 | 2500 | 588 | 2730 | 2144 | 1088 | | | | |
| NOGAI V 2600-588 | 8 | 2600 | 588 | 2811 | 2207 | 1120 | | | | |

AXILE OPTIONS



TARGAN VERTICAL STEEL DESIGN RADIATOR

The strength of steel turned into elegance.

You will have many alternative choices, both horizontally and vertically, according to your technical, aesthetic and functional needs.


Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.

| Technical Specifications | |
|--------------------------|--|
| Model Name | : TARGAN Vertical Steel Design Radiator |
| Material | : Cataphoresis coating, long-lasting electrostatic |
| Test Bar & Guarantee | : 4 BAR & 10 Year |
| Section Width | : 70 mm |
| Radiator Thickness | : 46 mm |
| Height | : From 400 mm to 1800 mm |
| Width | : Section Qty X 74 - 4 mm |
| Length | : 366 mm |
| Wall to Axe Distance | : 36 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : White (Standart: RAL9016) and all RAL Codes can be apply |



| TARGAN VERTICAL | SECTION QTY | HEIGHT (mm) | LENGTH (mm) | DEPTH (mm) | WEIGHT (kg) | WATER CONTENT (L) | CONNECTION DIAMETER | HEAT OUTPUT (Watt) | | |
|-------------------|-------------|-------------|-------------|------------|-------------|-------------------|---------------------|--------------------|------------|------------|
| | | | | | | | | 90/70/20°C | 75/65/20°C | 55/45/20°C |
| TARGAN V 400-588 | 8 | 400 | 588 | 46 | 6,7 | 2,6 | 1/2" | 383 | 302 | 155 |
| TARGAN V 500-588 | 8 | 500 | 588 | | 7,9 | 3,0 | | 473 | 373 | 191 |
| TARGAN V 600-588 | 8 | 600 | 588 | | 9,2 | 3,4 | | 562 | 442 | 226 |
| TARGAN V 700-588 | 8 | 700 | 588 | | 10,4 | 3,8 | | 648 | 510 | 260 |
| TARGAN V 800-588 | 8 | 800 | 588 | | 11,7 | 4,2 | | 733 | 576 | 293 |
| TARGAN V 900-588 | 8 | 900 | 588 | | 12,9 | 4,6 | | 816 | 640 | 325 |
| TARGAN V 1000-588 | 8 | 1000 | 588 | | 14,2 | 5,0 | | 898 | 704 | 356 |
| TARGAN V 1100-588 | 8 | 1100 | 588 | | 15,4 | 5,4 | | 978 | 766 | 386 |
| TARGAN V 1200-588 | 8 | 1200 | 588 | | 16,7 | 5,8 | | 1055 | 826 | 416 |
| TARGAN V 1300-588 | 8 | 1300 | 588 | | 17,9 | 6,2 | | 1132 | 885 | 445 |
| TARGAN V 1400-588 | 8 | 1400 | 588 | | 19,2 | 6,6 | | 1206 | 943 | 474 |
| TARGAN V 1500-588 | 8 | 1500 | 588 | | 20,4 | 7,0 | | 1279 | 1000 | 502 |
| TARGAN V 1600-588 | 8 | 1600 | 588 | | 21,7 | 7,4 | | 1350 | 1055 | 529 |
| TARGAN V 1700-588 | 8 | 1700 | 588 | | 22,9 | 7,8 | | 1420 | 1109 | 555 |
| TARGAN V 1800-588 | 8 | 1800 | 588 | | 24,2 | 8,2 | | 1489 | 1162 | 581 |
| TARGAN V 1900-588 | 8 | 1900 | 588 | | 25,4 | 8,6 | | 1554 | 1214 | 608 |
| TARGAN V 2000-588 | 8 | 2000 | 588 | | 26,6 | 9,0 | | 1617 | 1265 | 635 |
| TARGAN V 2100-588 | 8 | 2100 | 588 | | 27,9 | 9,3 | | 1679 | 1314 | 661 |
| TARGAN V 2100-588 | 8 | 2200 | 588 | | 29,1 | 9,7 | | 1739 | 1362 | 687 |
| TARGAN V 2300-588 | 8 | 2300 | 588 | | 30,4 | 10,1 | | 1798 | 1409 | 712 |
| TARGAN V 2400-588 | 8 | 2400 | 588 | 31,6 | 10,5 | 1855 | 1456 | 737 | | |
| TARGAN V 2500-588 | 8 | 2500 | 588 | 32,9 | 10,9 | 1911 | 1501 | 762 | | |
| TARGAN V 2600-588 | 8 | 2600 | 588 | 34,1 | 11,3 | 1967 | 1545 | 784 | | |

AXILE OPTIONS



SANTI HORIZONTAL DESIGN RADIATOR

The strength of steel turned into elegance.

You will have many alternative choices, both horizontally and vertically, according to your technical, aesthetic and functional needs.


Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.

| Technical Specifications | |
|--------------------------|---|
| Model Name | : SANTI Horizontal Design Radiators |
| Material | : Steel |
| Test Bar & Guarantee | : 4 bar & 10 year |
| Section Quantity | : From 2 to 12 |
| Height | : From 144 mm to 884 mm |
| Width | : From 400 mm to 2000 mm |
| Depth | : 80 mm |
| Wall to Front | : 115 mm |
| Collector Dimension | : 30 x 60 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : White (Standart: RAL9016) and all RAL Codes can be chosen |



| SANTI H | SECTION QTY | HEIGHT (mm) | WIDTH (mm) | DEPTH (mm) | WEIGHT (kg) | WATER CONTENT (L) | CONNECTION DIAMETER | HEAT OUTPUT (Watt) | | |
|----------------|-------------|-------------|------------|------------|-------------|-------------------|---------------------|--------------------|------------|------------|
| | | | | | | | | 90/70/20°C | 75/65/20°C | 55/45/20°C |
| SANTI 588-400 | 8 | 588 | 400 | 80 | 14,1 | 5,0 | 1 / 2 " | 663 | 530 | 284 |
| SANTI 588-500 | 8 | 588 | 500 | 80 | 17,3 | 5,9 | | 828 | 663 | 355 |
| SANTI 588-600 | 8 | 588 | 600 | 80 | 20,5 | 6,8 | | 994 | 796 | 426 |
| SANTI 588-700 | 8 | 588 | 700 | 80 | 23,7 | 7,6 | | 1160 | 928 | 497 |
| SANTI 588-800 | 8 | 588 | 800 | 80 | 26,9 | 8,5 | | 1325 | 1061 | 568 |
| SANTI 588-900 | 8 | 588 | 900 | 80 | 30,0 | 9,4 | | 1491 | 1193 | 640 |
| SANTI 588-1000 | 8 | 588 | 1000 | 80 | 33,2 | 10,3 | | 1694 | 1360 | 734 |
| SANTI 588-1100 | 8 | 588 | 1100 | 80 | 36,4 | 11,2 | | 1818 | 1459 | 787 |
| SANTI 588-1200 | 8 | 588 | 1200 | 80 | 39,6 | 12,0 | | 1983 | 1591 | 859 |
| SANTI 588-1300 | 8 | 588 | 1300 | 80 | 42,8 | 12,9 | | 2148 | 1724 | 930 |
| SANTI 588-1400 | 8 | 588 | 1400 | 80 | 46,0 | 13,8 | | 2313 | 1856 | 1002 |
| SANTI 588-1500 | 8 | 588 | 1500 | 80 | 49,2 | 14,7 | | 2479 | 1989 | 1074 |
| SANTI 588-1600 | 8 | 588 | 1600 | 80 | 52,4 | 15,6 | | 2644 | 2122 | 1145 |
| SANTI 588-1700 | 8 | 588 | 1700 | 80 | 55,5 | 16,4 | | 2809 | 2254 | 1217 |
| SANTI 588-1800 | 8 | 588 | 1800 | 80 | 58,7 | 17,3 | | 2974 | 2387 | 1288 |
| SANTI 588-1900 | 8 | 588 | 1900 | 80 | 61,9 | 18,2 | | 3140 | 2519 | 1360 |
| SANTI 588-2000 | 8 | 588 | 2000 | 80 | 65,1 | 19,1 | 3305 | 2652 | 1431 | |

AXILE OPTIONS




ILLUSION HORIZONTAL DESIGN RADIATOR

The strength of steel turned illusion, illusion turned into elegance.

You will have many alternative choices, both horizontally and vertically, according to your technical, aesthetic and functional needs.

Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.



| Technical Specifications | |
|---------------------------------|--|
| Model Name | : Illusion Horizontal Design Radiator |
| Material | : Steel |
| Test Bar & Guarantee | : 4 bar & 10 year |
| Collectors | : 50x50x1.5mm |
| Pipes | : Ø13 mm |
| Height | : 500 mm to 1000 mm |
| Width | : 800 mm to 1440 mm |
| Depth | : 50 mm |
| Wall to Axe Distance | : 85 mm |
| Axe Dimension | : 750 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : White (Standart: RAL9016) and all RAL Codes can be apply |

*For special dimensions please contact us.


| ILLUSION HORIZONTAL | Pipe Qty | HEIGHT (mm) | LENGTH (mm) | Pipe Diameter | DEPTH (mm) | WATER CONTENT (L) | CONNECTION DIAMETER | HEAT OUTPUT (Watt) 90/70/20°C |
|---------------------|----------|-------------|-------------|---------------|------------|-------------------|---------------------|----------------------------------|
| ILLUSION H 500-800 | 16 | 500 | 800 | Ø13 mm | 50 | 4,0 | 1/2" | 383 |
| ILLUSION H 600-960 | 20 | 600 | 960 | | | 6,4 | | 479 |
| ILLUSION H 700-1120 | 24 | 700 | 1120 | | | 10,2 | | 598 |
| ILLUSION H 800-1280 | 28 | 800 | 1280 | | | 16,4 | | 748 |
| ILLUSION H 900-1440 | 32 | 900 | 1440 | | | 26,2 | | 935 |



CROSS DESIGN RADIATOR

Elegance in Simplicity

While combining simplicity with elegance, it provides a pleasant experience with warm rooms.



| Technical Specifications | |
|--------------------------|--|
| Model Name | : Cross Design Radiator |
| Material | : Steel |
| Test Bar & Guarantee | : 4 bar & 10 year |
| Collectors | : 40x40x1.5mm |
| Pipes | : 30x10x1.5 mm |
| Height | : 500 mm to 1500 mm |
| Length | : 500 mm to 1500 mm |
| Depth | : 40 mm |
| Wall to Axe Distance | : 50 mm |
| Axe Dimension | : 70 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : White (Standart: RAL9016) and all RAL Codes can be apply |

*For special dimensions please contact us.

| CROSS | Pipe Qty | HEIGHT (mm) | LENGTH (mm) | Pipe Dimensions | DEPTH (mm) | WATER CONTENT (L) | CONNECTION DIAMETER | HEAT OUTPUT (Watt) |
|---------------|----------|-------------|-------------|------------------|------------|-------------------|---------------------|--------------------|
| | | | | | | | | 90/70/20°C |
| CROSS 500-800 | 16 | 500 | 800 | 30 x 10 x 1,5 mm | 40 | 3,5 | 1/2" | 270 |
| CROSS 600-800 | 20 | 600 | 800 | | | 4,2 | | 338 |
| CROSS 700-800 | 24 | 700 | 800 | | | 5,0 | | 422 |
| CROSS 800-800 | 28 | 800 | 800 | | | 6,0 | | 527 |
| CROSS 900-800 | 32 | 900 | 800 | | | 7,3 | | 659 |




ILLUSION VERTICAL DOUBLE DESIGN RADIATOR

The strength of steel turned illusion, illusion turned into elegance. You will have many alternative choices, both horizontally and vertically, according to your technical, aesthetic and functional needs. Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.

| Technical Specifications | |
|---------------------------------|--|
| Model Name | : Illusion Vertical Double Design Radiator |
| Test Bar & Guarantee | : 4 bar & 10 year |
| Collectors | : 50x50x1.5mm |
| Pipes | : Ø13 mm |
| Height | : 500 mm to 1800 mm |
| Width | : 500 mm to 1800 mm |
| Depth | : 50 mm |
| Wall to Axe Distance | : 85 mm |
| Connection Diameter | : 1 / 2 " |
| Connection Options | : Bottom Left-Right connection or Bottom-Top connection |
| Accessoire Colours | : White (Standart: RAL9016) and all RAL Codes can be apply |

*For special dimensions please contact us.

| ILLUSION VERTICAL | Pipe Qty | HEIGHT (mm) | WIDTH (mm) | Pipe Diameter | DEPTH (mm) | WATER CONTENT (L) | CONNECTIO N DIAMETER | HEAT OUTPUT (Watt) |
|---------------------|----------|-------------|------------|---------------|------------|-------------------|----------------------|--------------------|
| | | | | | | | | 90/70/20°C |
| ILLUSION V 800-500 | 28 | 800 | 500 | Ø13 mm | 50 | 4,1 | 1/2" | 383 |
| ILLUSION V 1000-500 | 35 | 1000 | 500 | | | | | 479 |
| ILLUSION V 1200-500 | 42 | 1200 | 500 | | | | | 598 |
| ILLUSION V 1600-500 | 56 | 1500 | 500 | | | | | 748 |
| ILLUSION V 1800-500 | 64 | 1800 | 500 | | | | | 935 |



AGORA DESIGN RADIATOR

The transformation of steel into elegance.

Agora Design Radiators give more than warmth with their elegance and spacious appearance.

Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.

| Product Name | Width (mm) | Height (mm) | In & Out Axile Distance (mm) | Water Content (Lt) | Package Weight (Kg) | Thermal Capacity ΔT 50 watt | Wall Connection Axile (mm) | Depth (mm) |
|------------------------|--------------|---------------|--------------------------------|----------------------|-----------------------|-------------------------------------|------------------------------|--------------|
| Agora Design Radiators | 500 | 800 | 50 | 3,5 | 12,5 | 398 | 80 | 106 |
| | 500 | 1150 | 50 | 4,8 | 16,9 | 539 | 80 | 106 |
| | 500 | 1400 | 50 | 6 | 20,6 | 674 | 80 | 106 |
| | 500 | 1640 | 50 | 7,1 | 24,1 | 807 | 80 | 106 |
| | 600 | 800 | 50 | 4 | 14,5 | 460 | 80 | 106 |
| | 600 | 1150 | 50 | 5,4 | 19,2 | 621 | 80 | 106 |
| | 600 | 1400 | 50 | 6,7 | 23,3 | 777 | 80 | 106 |
| | 600 | 1640 | 50 | 8 | 28,1 | 932 | 80 | 106 |



PULLMAN DESIGN RADIATOR

The transformation of steel into elegance.

Pullman Design Radiators give more than warmth with their elegance and spacious appearance.

Thanks to its thin and elegant design, you will be able to move more comfortably in the furnishing of your space.



| Product Name | Width (mm) | Height (mm) | In & Out Axile Distance (mm) | Water Content (Lt) | Package Weight (Kg) | Thermal Capacity ΔT 50 watt | Wall Connection Axile (mm) | Depth (mm) |
|--------------------------|------------|-------------|------------------------------|--------------------|---------------------|-------------------------------------|----------------------------|------------|
| Pullman Design Radiators | 500 | 1000 | 50/450 | 4,1 | 15,6 | 506 | 80 | 106 |
| | 500 | 1200 | 50/450 | 4,9 | 18,6 | 607 | 80 | 106 |
| | 500 | 1400 | 50/450 | 5,7 | 20,6 | 708 | 80 | 106 |
| | 500 | 1600 | 50/450 | 6,5 | 24 | 809 | 80 | 106 |
| | 500 | 1800 | 50/450 | 7,3 | 25,9 | 910 | 80 | 106 |
| | 600 | 1000 | 50/550 | 4,6 | 17,4 | 583 | 80 | 106 |
| | 600 | 1200 | 50/550 | 5,5 | 19,6 | 699 | 80 | 106 |
| | 600 | 1400 | 50/550 | 6,4 | 23,3 | 816 | 80 | 106 |
| | 600 | 1600 | 50/550 | 7,3 | 26,8 | 932 | 80 | 106 |
| | 600 | 1800 | 50/550 | 8,3 | 30 | 1048 | 80 | 106 |



BADEMA HAND CRAFTED AND CUBA TOWEL RADIATORS

The elegance of Brass Tumbled

Badema Model, which brings you back to the past with its coating, provides a pleasant experience with warm towels and bathrobes.

Unique protection system

The special protection system applied on the coating will protect the product from moisture, steam and rust in the bathroom.

| Technical Specifications | |
|--------------------------|---|
| Model Name | : Badema Antique Handcrafted Towel Warmer |
| Material | : Electrostatic oven paint on Steel |
| Test Bar & Guarantee | : 4 BAR & 10 Year |
| Height | : 700 mm - 1750 mm |
| Width | : 300 mm - 700 mm |
| Colour Options | : Antique Brass |
| Covering Options | : Antique Brass and Copper Cover options are available. |

| Technical Specifications | |
|--------------------------|---|
| Model Name | : CUBA Vertical Towel Warmer Black |
| Material | : Electrostatic oven paint on Steel |
| Test Bar & Guarantee | : 4 BAR & 10 Year |
| Height | : 700 mm to 1750 mm |
| Width | : 300 mm to 700 mm |
| Colour Options | : Any RAL Code can be applied. |
| Covering Options | : Antique Brass and Copper cover options are available. |



| Model - Width X Height | Pipe Qty. | Pipe Diameter | Collector Dimension | Space Between Connection Axes | Connection Diameter (inch) | Watt Δt50 | BTU Δt50 | Watt Δt60 | BTU Δt60 | K _m | n | Characteristic Equation |
|---|-----------|---------------|---------------------|-------------------------------|----------------------------|-----------|----------|-----------|----------|----------------|---------|----------------------------------|
| BADEMA Design Towel Radiator 300 X 700 | 11 | ø21 mm | 30 X 40 mm | 250 mm | G 1/2 " | 199 | 679 | 248 | 846 | 1,80511 | 1,20211 | Φ=K _m Δt ⁿ |
| BADEMA Design Towel Radiator 300 X 800 | 14 | | | | | 239 | 815 | 298 | 1,016 | 2,16795 | 1,20211 | |
| BADEMA Design Towel Radiator 300 X 1000 | 16 | | | | | 270 | 921 | 338 | 1,153 | 2,23534 | 1,22546 | |
| BADEMA Design Towel Radiator 300 X 1200 | 19 | | | | | 323 | 1,101 | 404 | 1,378 | 2,67413 | 1,22546 | |
| BADEMA Design Towel Radiator 300 X 1500 | 26 | | | | | 417 | 1,422 | 522 | 1,780 | 3,37003 | 1,23163 | |
| BADEMA Design Towel Radiator 300 X 1750 | 30 | | | | | 484 | 1,650 | 607 | 2,070 | 3,81821 | 1,23780 | |
| BADEMA Design Towel Radiator 400 X 700 | 11 | | | 243 | | 829 | 303 | 1,033 | 2,20423 | 1,20211 | | |
| BADEMA Design Towel Radiator 400 X 800 | 14 | | | 296 | | 1,009 | 369 | 1,258 | 2,68499 | 1,20211 | | |
| BADEMA Design Towel Radiator 400 X 1000 | 16 | | | 331 | | 1,129 | 414 | 1,412 | 2,74036 | 1,22546 | | |
| BADEMA Design Towel Radiator 400 X 1200 | 19 | | | 395 | | 1,347 | 494 | 1,685 | 3,27022 | 1,22546 | | |
| BADEMA Design Towel Radiator 400 X 1500 | 26 | | | 516 | | 1,760 | 646 | 2,203 | 4,17011 | 1,23163 | | |
| BADEMA Design Towel Radiator 400 X 1750 | 30 | | | 597 | | 2,036 | 748 | 2,551 | 4,70966 | 1,23780 | | |
| BADEMA Design Towel Radiator 500 X 700 | 11 | | | 288 | | 982 | 359 | 1,224 | 2,61242 | 1,20211 | | |
| BADEMA Design Towel Radiator 500 X 800 | 14 | | | 352 | | 1,200 | 438 | 1,494 | 3,19296 | 1,20211 | | |
| BADEMA Design Towel Radiator 500 X 1000 | 16 | | | 393 | | 1,340 | 491 | 1,674 | 3,25366 | 1,22546 | | |
| BADEMA Design Towel Radiator 500 X 1200 | 19 | | | 468 | | 1,596 | 585 | 1,995 | 3,87459 | 1,22546 | | |
| BADEMA Design Towel Radiator 500 X 1500 | 26 | | | 614 | | 2,094 | 769 | 2,622 | 4,96210 | 1,23163 | | |
| BADEMA Design Towel Radiator 500 X 1750 | 30 | | | 711 | | 2,425 | 891 | 3,038 | 5,60899 | 1,23780 | | |
| BADEMA Design Towel Radiator 600 X 700 | 11 | | | 332 | | 1,132 | 413 | 1,408 | 3,01154 | 1,20211 | | |
| BADEMA Design Towel Radiator 600 X 800 | 14 | | | 409 | | 1,395 | 509 | 1,736 | 3,71000 | 1,20211 | | |
| BADEMA Design Towel Radiator 600 X 1000 | 16 | | | 454 | | 1,548 | 568 | 1,937 | 3,75869 | 1,22546 | | |
| BADEMA Design Towel Radiator 600 X 1200 | 19 | | | 540 | | 1,841 | 675 | 2,302 | 4,47068 | 1,22546 | | |
| BADEMA Design Towel Radiator 600 X 1500 | 26 | | | 712 | | 2,428 | 895 | 3,052 | 5,25651 | 1,25475 | | |
| BADEMA Design Towel Radiator 600 X 1750 | 30 | | | 825 | | 2,813 | 1,039 | 3,543 | 5,79895 | 1,26730 | | |
| BADEMA Design Towel Radiator 700 X 700 | 11 | | | 377 | | 1,286 | 469 | 1,599 | 3,41974 | 1,20211 | | |
| BADEMA Design Towel Radiator 700 X 800 | 14 | | | 465 | | 1,586 | 579 | 1,974 | 4,21798 | 1,20211 | | |
| BADEMA Design Towel Radiator 700 X 1000 | 16 | | | 515 | | 1,756 | 644 | 2,196 | 4,26371 | 1,22546 | | |
| BADEMA Design Towel Radiator 700 X 1200 | 19 | | | 613 | | 2,090 | 766 | 2,612 | 5,07505 | 1,22546 | | |
| BADEMA Design Towel Radiator 700 X 1500 | 26 | | | 811 | | 2,766 | 1,019 | 3,475 | 5,98740 | 1,25475 | | |
| BADEMA Design Towel Radiator 700 X 1750 | 30 | | | 938 | | 3,199 | 1,182 | 4,031 | 6,59323 | 1,26730 | | |



One Source
Best Service

info@caloreradiator.com
www.caloreheating.com